

iO Incarcerate

Easy-Dose Pour-On Cattle Lice and Fly Treatment

DIRECTIONS FOR USE

Restraints: NOT TO BE USED on horses that may be slaughtered for human consumption.

Contraindications: This product is contraindicated for use on animals severely stressed or in ill health. This product should not be used on horse's head forward of the ears. This product should not be applied as a single spot.

Precaution: Facial skin contact may cause temporary tingling/burning.

Dose Rate for Cattle:

DOSE RATE FOR CATTLE: 5mL per 100kg liveweight.

The following table may be used as a guide.

PESTS CONTROLLED	RATE	LIVE BODY WEIGHT	CRITICAL COMMENTS
Cattle Lice (<i>Bovicola bovis</i>) (<i>Linognathus vituli</i>) (<i>Haematopinus eurysternus</i>)	5 mL 10mL 15mL 20mL 25mL 30mL	Up to 100kg 101-200kg 201-300kg 301-400kg 401-500kg 501-600kg	Apply to animals in a race or drainage pen as a single stripe along the backline. Retreat later in the season if reinfestation occurs.
Buffalo Fly (<i>Haematobia irritans exigua</i>) Stable Fly (<i>Stomoxys calcitrans</i>) House Fly (<i>Musca domestica</i>) Biting Midge (<i>Culicoides sp.</i>)		For cattle over 600kg apply 5ml per 100kg liveweight.	Apply to the whole herd – retreatment may be necessary.

DOSE RATE FOR HORSES: 5mL per 100kg liveweight.
The following table may be used as a guide.

PESTS CONTROLLED	RATE	LIVE BODY WEIGHT	CRITICAL COMMENTS
Buffalo Fly <i>(Haematobia irritans exigua)</i>	5 mL	Up to 100kg	<p>Using the correct measured dose, apply to horses as two single stripes. Apply approximately 2/3 of measured dose to the midline mane area (from poll to wither) and remaining 1/3 to midline over the rump.</p> <p>When applying product keep away from head forward of the ears. If product is accidentally splashed into horse's eyes, the eyes should be washed thoroughly as soon as possible, using plenty of water. Contact a veterinary surgeon for advice.</p> <p>Apply to the whole herd – retreatment may be necessary.</p>
	10mL	101-200kg	
	15mL	201-300kg	
Stable Fly <i>(Stomoxys calcitrans)</i>	20mL	301-400kg	
	25mL	401-500kg	
	30mL	501-600kg	
<p>NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION</p>			

General Directions:

CATTLE: To avoid operator insecticide contact when concurrent treatments are carried out, IO INCARCERATE should be applied last. Operators must wear gloves.

In a proportion of treated animals, some scurfiness may develop at the site of application. In most cases this scurfiness will disappear within three weeks of application of this product.

Apply with recommended applicator.

The efficacy of this product was not affected by moderate rainfall when tested against cattle lice.

HORSES: Treatment with IO INCARCERATE will alleviate fly annoyance related behaviour including skin flicking, head and tail twitching and feet stamping for up to 7 days. No adverse reactions were reported in horses treated with deltamethrin at 5 times the recommended dose rate.

It is recommended that the product be allowed to dry thoroughly after application before handling the animal. However, if handling or grooming the animal immediately after application is necessary wear personal protective equipment as indicated in the safety directions on this label.

WITHHOLDING PERIODS:

Cattle: MEAT Zero (0) days; MILK Zero (0) days

Horses: NOT TO BE USED on horses that may be slaughtered for human consumption.

TRADE ADVICE:

EXPORT SLAUGHTER INTERVAL (ESI): DO NOT USE less than 21 days before slaughter for export. The ESI on this label was correct at the time of label approval. Before using this product, confirm the current ESI from the manufacturer on (03) 9822 1321 or the APVMA website www.apvma.gov.au/residues

ENVIRONMENTAL PROTECTION

DANGEROUS TO FISH. Do not contaminate dams, rivers or streams with the pesticide or used containers.

AVOID CONTACT WITH FOOD.

SAFETY DIRECTIONS

Product is poisonous if swallowed. Will irritate the eyes and skin. Facial skin contact may cause temporary facial numbness. Avoid contact with eyes and skin. When using wear elbow length PVC gloves. If product on skin, immediately wash area with soap and water.

After use and before eating, drinking, or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use wash gloves.

FIRST AID

Product is poisonous if swallowed. Rinse mouth. Do NOT induce vomiting. Call a POISON CENTRE or doctor if you feel unwell. If eye irritation persists: get medical advice. If skin irritation occurs: Get medical advice. In case of fire: Preferred extinguishing media are carbon dioxide, dry chemical foam. Avoid the use of water. Store in a well ventilated place. Protect from sunlight.

If poisoning occurs contact a doctor or Poisons Information Centre. Phone Australia 131126.

ADDITIONAL USER SAFETY INFORMATION

Additional information is available in the Safety Data Sheet. For a copy phone (03) 9822 1321.

DISPOSAL

Dispose of container by wrapping with paper and putting in garbage.

STORAGE

Store below 30°C (Room Temperature) in original container, tightly closed in a safe place.

APVMA APPROVAL NO.: 82675/106416

BATCH:

EXPIRY: