

blank page

Apparent 

Sinister Lawn Insecticide

ACTIVE CONSTITUENT: 15 g/L IMIDACLOPRID

100 mL makes up to 30 litres

FOR THE SYSTEMIC CONTROL OF INSECT PESTS ON FLOWERS, SHRUBS,
FRUIT TREES, VEGETABLES AND LAWNS IN THE HOME GARDEN.

IMPORTANT: Read this booklet before use.



APVMA Approval No: 82874/107026

APPARENT PTY LTD A.C.N. 143 724 136

Suite G.08 | 762 Toorak Road, Hawthorn East VIC 3123 Australia
T +61 3 9822 1321 F +61 3 9817 7845 E enquiries@apparentag.com.au www.apparentag.com.au

HOW TO USE

DO NOT apply when conditions are hot.

DO NOT apply when soil is dry and plants are suffering from moisture stress.

PLANT	PEST
Stone Fruit	Green Peach Aphid, Black Peach Aphid
Capsicum, cucurbits, eggplant, potato, tomato	Green Peach Aphid
Brassicas	Grey Cabbage Aphid, Turnip Aphid
Cucumber. Sweet potato	Silverleaf Whitefly
Eggplant	Melon Thrips
Roses	Aphids
Ornamentals	Aphids, Azalea Lace Bug, Bronze Orange Bug, Harlequin Bug, Citrus Mealybug, Greenhouse Thrips, Fullers Rose Weevil, Psyllids, Soft Scale Hibiscus Flower Beetle, Longtailed Mealybug
Lawns	Curl grubs* and Billbug larvae (*also known as African Black Beetle larvae, Argentinian Scarab Beetle larvae or Pruinose Scarab larvae) Curl Grubs and Billbugs cause extensive damage to lawns by feeding on grass roots and stems. Affected grass turns yellow then dies, and can be lifted up like a carpet.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

RATE	HOW TO APPLY
10 mL per 3 litres of water	Spray foliage thoroughly when insects are first seen or if insects reappear. Spray underneath the leaves to kill pests which may be hiding out of sight. For Hibiscus Flower Beetle, spray buds and flowers as needed. For Longtailed Mealybug, apply 3 sprays 2 weeks apart. For Psyllids, spray at first sign and then a week later. For Soft Scales, spray in late Spring or when small scales are first seen. Apply 3 sprays, 2 weeks apart. For best results spray in the morning where there is little or no wind and little direct heat from the sun. As a guide, 2 litres of spray mixture should be sufficient to thoroughly spray a fruit tree up to 3 m high, or to spray 10 large tomato plants.
20 mL per 3 litres of water	
Apply 50 mL per 15 m ² .	Measure lawn area before application. Apply Apparent Sinister Lawn Insecticide using a watering can or a hand sprayer and water in thoroughly. DO NOT mow treated lawn for three days. For Curl Grubs, the optimum application time is peak egg hatch which occurs between mid Spring to mid Summer. For Billbug larvae, the optimum application time is at the peak of adult bug activity or when small (4 mm) larvae are found in the thatch or surface soil. This occurs between late Spring and early Summer.

DO NOT PICK STONE FRUIT FOR 21 DAYS AFTER SPRAYING.

DO NOT PICK BRASSICAS, CAPSICUM, EGGPLANTS, POTATOES OR SWEET POTATOES FOR 7 DAYS AFTER SPRAYING.

DO NOT PICK TOMATOES FOR 3 DAYS AFTER SPRAYING.

DO NOT PICK CUCURBITS FOR 1 DAY AFTER SPRAYING.

HOW TO PREPARE

Shake well before use. Add the required amount of Apparent Sinister Lawn Insecticide to water in a sprayer or watering can and mix thoroughly. The prepared spray must be used on the day it is mixed.

CAUTION

DO NOT allow chemical containers or spray to get into drains, sewers, streams or ponds. DO NOT spray if bees are feeding on flowering plants. Will kill bees. Children and pets may re-enter the treated area after the spray has dried.

STORAGE AND DISPOSAL

Store in the closed, original container in a cool, dry place out of the reach of children. DO NOT store in direct sunlight. Dispose of empty container by wrapping in paper, placing in plastic bag and putting in the garbage.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 13 11 26.

CONDITIONS OF SALE

The use of Apparent Sinister Lawn Insecticide being beyond the control of the manufacturer no warranty expressed or implied is given by Apparent Pty Ltd regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not and Apparent Pty Ltd accepts with no responsibility for any consequences whatsoever resulting from the use of this product.

blank page