

CAUTION
KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Apparent



Axle

FLOWABLE SEED DRESSING

ACTIVE CONSTITUENTS: 25 g/L TEBUCONAZOLE,
4 g/L CYPERMETHRIN

GROUP **3** FUNGICIDE

GROUP **3A** INSECTICIDE

For control of bunt, flag smut and loose smut of wheat.
For control of covered and loose smut of barley. For control of covered and loose smut of oats.
For protection against insect pests of stored grain.



PROUDLY

OWNED



CONTENTS
10
LITRES

APPARENT PTY LTD A.C.N. 143 724 136

Suite G.08 | 762 Toorak Road, Hawthorn East VIC 3123 Australia
T 03 9822 1321 M 0411 227 338 E enquiries@apparentag.com.au www.apparentag.com.au

DIRECTIONS FOR USE

RESTRAINT: DO NOT treat physically damaged seed.

CROP	DISEASE/PEST	RATE	CRITICAL COMMENTS
Wheat	Bunt, Flag Smut (seed and soil borne), Loose Smut	100 mL/100 kg seed	Apparent Axle Flowable Seed Dressing should be mixed with water to give even coverage of seed. The quantity of water will vary depending on type of equipment and quality of seed.
Barley	Covered and Loose Smut		Use a minimum of 400 mL of mixture (ie. Apparent Axle Flowable Seed Dressing plus water) with each 100 kg of seed.
Oats	Covered and Loose Smut		DO NOT use more than 600 mL of mixture (product + water) with each 100 kg of seed. Whatever dilution is used it is essential that 100 mL of Apparent Axle Flowable Seed Dressing is applied/100 kg seed. The mixture should be gently stirred regularly.
Wheat, Barley, Oats	Protection against pests of stored grain: Granary Weevil, Indian Meal Moth, Lesser Grain Borer, Rice Weevil, Rust-red Flour Beetle, Sawtoothed Grain Beetle, Tropical Warehouse Moth		If nasal irritation occurs wear a face mask while treating seed.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.
WITHHOLDING PERIOD: NOT REQUIRED WHEN USED AS DIRECTED.

GENERAL INSTRUCTIONS

Apparent Axle Flowable Seed Dressing may delay emergence of wheat. Crops will recover rapidly in moist soil without any effect on yield. Sowing Apparent Axle Flowable Seed Dressing treated wheat deeper than 50 mm may reduce plant establishment in heavier soils or soils that will crust or clod at the surface after sowing. Sowing rates may need to be adjusted accordingly.

SEED QUALITY

Apparent Axle Flowable Seed Dressing should not be used on seed with more than 12% moisture content, or on sprung, sprouted, damaged or severely pinched seed, or seed of poor viability. If in doubt, have a germination test carried out on the seed before treatment to ensure that it is of acceptable standard. Treated with Apparent Axle Flowable Seed Dressing as directed will raise the moisture level of the seed by up to 0.6%, depending on weather conditions at treatment. The use of Apparent Axle Flowable Seed Dressing mixed with water at recommended rates will have no effect on the storage life of treated sound seed.

STORAGE OF TREATED SEED

Treated seed may be held over for sowing in the following season. If so, additional insecticide treatment may be necessary. If the seed is not used immediately after treatment it should be stored in a dry, well-ventilated place. Although Apparent Axle Flowable Seed Dressing has no effect on the viability of treated seed, subsequent germination can be adversely affected by poor storage conditions such as high moisture combined with high temperatures. No liability can therefore be accepted for the performance of stored treated seed.

CLEANING UP

Equipment should be thoroughly cleaned with water. In the event of changing from this water based flowable formulation to a solvent-based liquid formulation, it is essential to rinse equipment with methylated spirits after thoroughly cleaning with water. If changing

from a solvent-based liquid to this water based flowable thoroughly clean with methylated spirits then rinse with water. Failure to do so will result in clogging of equipment.

PRECAUTION

DO NOT allow seed treated with this product to contaminate seed intended for human consumption. If possible, use a separate auger for treating seed. If using the same auger for treating seed and moving grain for human consumption, remove all Apparent Axle Flowable Seed Dressing residues from the auger to avoid contaminating untreated seed with seed dressing residues.

FUNGICIDE RESISTANCE WARNING

GROUP **3** FUNGICIDE

Apparent Axle Flowable Seed Dressing is a Group 3 Fungicide and a member of the DM1 group of fungicides. For fungicide resistance management Apparent Axle Flowable Seed Dressing is a Group 3 Fungicide. Some naturally occurring individual fungi resistant to Apparent Axle Flowable Seed Dressing and other Group 3 Fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungal population if these fungicides are used repeatedly. These resistant fungi will not be controlled by Apparent Axle Flowable Seed Dressing or other Group 3 Fungicides, thus resulting in a reduction in efficacy and possible yield loss. Since the occurrence of resistant fungi is difficult to detect prior to use, Apparent Pty Ltd accepts no liability for any losses that may result from the failure of Apparent Axle Flowable Seed Dressing to control resistant fungi.

INSECTICIDE RESISTANCE WARNING

GROUP **3A** INSECTICIDE

For insecticide resistance management Apparent Axle Flowable Seed Dressing is a Group 3A Insecticide. Some naturally occurring insect biotypes resistant to Apparent Axle Flowable Seed Dressing and other group 3A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if

Apparent Axle Flowable Seed Dressing or other Group 3A insecticides are used repeatedly. The effectiveness of Apparent Axle Flowable Seed Dressing on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, Apparent Pty Ltd accepts no liability for any losses that may result from the failure of Apparent Axle Flowable Seed Dressing to control resistant insects.

Apparent Axle Flowable Seed Dressing may be subject to specific resistance management strategies. For further information contact your local supplier, Apparent Pty Ltd representative or local agricultural department agronomist.

PROTECTION OF LIVESTOCK

Seed treated with this product must not be used for animal consumption, poultry feed or mixed with animal feed. DO NOT allow seed treated with this product to contaminate seed intended for animal consumption.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT feed treated seed or otherwise expose to wild or domestic birds. Harmful to fish. DO NOT contaminate dams, rivers, ponds, waterways or drains with this product, use containers or bags which have held treated seed.

STORAGE AND DISPOSAL

When treated seed is stored it should be kept apart from other grain. Such bags or other containers should clearly be marked to indicate the contents have been treated with Apparent Axle Flowable Seed Dressing. DO NOT use seed treated with Apparent Axle Flowable Seed Dressing for human consumption. Bags which have held seed treated with this product are not to be used for any other purpose.

For Non-Refillable Containers: Store in the closed, original container in a dry, cool, well-ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple-rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or a designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved

waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and free trees, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

For Refillable Containers: Storage must be secure so that contents cannot be tampered with. All locks and/or seals must be in order. If locks or seals are broken prior to initial use then the integrity of this product cannot be assured. If this occurs Apparent Pty Ltd should be advised immediately. Empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage.

SAFETY DIRECTIONS

May irritate the eyes. Avoid contact with eyes. Wash hands after use.

FIRST AID

If poisoning occurs contact a doctor or Poisons Information Centre. Phone Australia 13 11 26.

SAFETY DATA SHEET

Additional information is listed in the Safety Data Sheet which can be obtained from the supplier.

CONDITIONS OF SALE: The use of Apparent Axle Flowable Seed Dressing being beyond the control of the manufacturer no warranty expressed or implied is given by Apparent Pty Ltd regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not and Apparent Pty Ltd accepts with no responsibility for any consequences whatsoever resulting from the use of this product. * Other trademarks

This product is not classified as hazardous according to the Global Harmonization System (GHS) classification.



APVMA Approval No: 81152/109312

Batch No:

Date of Manufacture: