

# POISON

KEEP OUT OF REACH OF CHILDREN  
READ SAFETY DIRECTIONS BEFORE OPENING OR USING  
FOR ANIMAL TREATMENT ONLY



# Tick Off Pour-on

## Tick Development Inhibitor

**ACTIVE CONSTITUENT: 25g/L FLUAZURON**

### Solvents:

100 g/L 1-dodecyl-2-pyrrolidone  
100 g/L 1-octyl-2-pyrrolidone  
415 g/L 1-methyl-2-pyrrolidone

For strategic control of the Cattle Tick, *Rhipicephalus (Boophilus) microplus*, (including all known acaricide resistant strains) on Beef Cattle.



CONTENTS

20

LITRES



GUARANTEE

PROUDLY



OWNED & MADE



APPARENT PTY LTD / A.C.N. 143 724 136

Suite G.08 Toorak Offices, 762 Toorak Road, Glen Iris VIC 3146, Australia | T (03) 9822 1321 F (03) 9817 7845 M 0411 227 338



# Tick Off Pour-On

## Tick Development Inhibitor

### DIRECTIONS FOR USE

**RESTRAINT: DO NOT USE** on cattle which are producing or may in the future produce milk for human consumption.  
**CONTRAINDICATION:** This product is contraindicated for use on pregnant cows within 6 weeks of calving to avoid handling stress.

### DOSAGE AND ADMINISTRATION

ANIMALS & PEST	STATE	BODYWEIGHT (KG)	DOSE (ML)	NO. TREATED PER 20L PACK	CRITICAL COMMENTS
Beef cattle after weaning Cattle Tick ( <i>Rhipicephalus microplus</i> )	OLD, NSW, WA & NT only	101 – 150	9	2222	Retreat when you first see ticks but not before at least 6 weeks after the previous treatment.
		151 – 200	12	1666	Maximum number of treatments per annual tick season: 3.
		201 – 250	15	1333	Apply in two bands, about 7cm wide, one on each side of the spine between the rump and the shoulders with an approved applicator. DO NOT use any other applicator.
		251 – 300	18	1111	
		301 – 350	21	952	
		351 – 400	24	833	
		401 – 450	27	740	The weight of cattle should be determined by either scales or a weigh-band.
		451 – 500	30	666	Dose individuals according to the heaviest animal in the mob. DO NOT under dose.
		501 – 550	33	606	
		551 – 600	36	555	
601 – 650	39	512	There is no need to treat calves as long as they suckle treated cows. Calves will receive adequate protection from their mother. A reduced length of protection may occur in cows which are suckling calves.		
Over 650		3 mL per 50 kg		iO Tick-Off Pour On should not be applied to show cattle as a light scurfiness may be visible for some time after treatment.	
				iO Tick-Off Pour On is a tick development inhibitor and kills ticks progressively. It can take 2 to 3 weeks for cattle to be visibly free of ticks. No additional treatment is necessary during that time, even on heavily infested animals. The development inhibiting effect of iO Tick-Off Pour On commences within 3 days of treatment.	
				Not suitable for cleaning cattle moving into 'gazetted' cattle tick areas.	



**NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION**

### WITHHOLDING PERIODS:

**MEAT: DO NOT USE** less than 42 days before slaughter for human consumption. Calves which have suckled on treated cows must not be slaughtered less than 4 months after the last treatment of these cows.  
**MILK: DO NOT USE** on cattle which are producing or may in the future produce milk for human consumption.

**TRADE ADVICE: EXPORT SLAUGHTER INTERVAL (ESI): DO NOT USE** less than 42 days before slaughter for export. The ESI on this label was correct at the time of label approval. Before using this product, confirm the current ESI from the registrant on 0411 227 338 or the APVMA website ([www.apvma.gov.au/residues/](http://www.apvma.gov.au/residues/)).

### GENERAL INSTRUCTIONS:

**iO TICK OFF POUR-ON Treated Areas – Introduction of New Cattle:** Tick infested cattle introduced onto properties where a iO Tick-Off Pour On treatment regime is in place should be treated with iO Tick-Off Pour On prior to release.

**HANDLING OF TREATED ANIMALS:** Wear protective clothing recommended under Safety Directions, if handling treated cattle within 24 hours of application.

**For local tick control recommendations contact your local department of agriculture.**

**CLEANING INSTRUCTIONS:** After use wash iO Tick-Off Pour On applicator with detergent and hot water. Dispose of the rinsates in a disposal pit away from desirable plants and their roots and watercourses.

**SAFETY DIRECTIONS:** Harmful if swallowed. Will damage eyes and skin. Avoid contact with eyes and skin. Repeated exposure may cause allergic disorders. When opening the container and using the product, wear cotton overalls buttoned to the neck and wrist, a washable hat, elbow length PVC gloves and a face shield. If clothing becomes contaminated with product remove clothing immediately. If product gets on skin, immediately wash area with soap and water. If product gets in eyes, wash it out immediately with water. After use and before eating, drinking and smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves, face shield and contaminated clothing.

**FIRST AID:** If poisoning occurs contact a doctor or Poisons Information Centre. Phone Australia 131 126. If swallowed, **DO NOT** induce vomiting. Give a glass of water. If in eyes, hold eyes open, flood with water for at least 15 minutes and see a doctor.

**SAFETY DATA SHEET:** For further information, refer to the Safety Data Sheet.

**ENVIRONMENTAL PROTECTION: DO NOT** contaminate fish ponds, dams or rivers with the product or used containers. This product is very toxic to aquatic invertebrates.

**DISPOSAL:** Triple-rinse container and dispose of rinsate in compliance with relevant local, state or territory government regulations. Do not dispose of undiluted chemicals on-site. If recycling, replace cap and return clean container to recycler or designated collection point. If not recycling, break, crush, or puncture container and deliver to an approved waste management facility. If an approved waste management facility is not available, bury the broken, crushed or punctured containers 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and tree roots, in compliance with relevant local, state or territory government regulations. Do not burn empty containers or product.

**STORAGE:** Store below 30°C (Room Temperature). Store in the tightly closed original container in a dry, cool place. Store out of direct sunlight.

**Apparent Pty Ltd**

Suite G.08, 762 Toorak Road, Glen Iris VIC 3146, PO Box 3092 Cotham PO Kew VIC 3101 P 03 9822 1321 M 0411 227 338

**APVMA APPROVAL NO.:** 81471/103177

Additional information required under the Globally Harmonised System (GHS) classification of the substance/mixture:  
**Combustible liquid. Causes skin irritation. Causes eye irritation. May cause respiratory irritation. Suspected of damaging fertility or the unborn child. Very toxic to aquatic life with long lasting effects.**

Keep away from flames and hot surfaces. – No smoking. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. Call a POISON CENTER or doctor/physician if you feel unwell. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse. In case of fire use foam blanket, carbon dioxide or dry agent for extinction. Collect Spillage. Store locked up.

**BATCH:**

**EXP:**

