

SAFETY DATA SHEET

SECTION 1

IDENTIFICATION OF THE MATERIAL AND SUPPLIER

Product Name: **Apparent Simazine 900 WG Herbicide**

Other Names: Simazine is a 1,3,5-triazine derivative, triazine herbicide.
Use: A selective agricultural water dispersible granule herbicide.
Company: Apparent Pty Ltd.
Address: Suite G.08, 762 Toorak Rd, Hawthorn East, Vic. 3123.
PO Box 3092, Cotham PO, Kew, Vic 3101
ACN/ABN: 143 724 136
Telephone Number: 03 9822 1321
Email: enquiries@apparentag.com.au
Emergency Contact: 0411 227 338

SECTION 2

HAZARDS IDENTIFICATION

**Classified as hazardous according to criteria of Safe Work Australia.
Not classified as a Dangerous Good according to the ADG Code.**

Global Harmonization System (GHS) classification:

Carcinogenicity: Category 2.
Hazardous to the Aquatic Environment - Acute Hazard: Category 1.
Hazardous to the Aquatic Environment - Long-Term Hazard: Category 4.

Signal Word: WARNING.

Hazard Statements:

H351 Suspected of causing cancer.
H400 Very toxic to aquatic life.
H413 May cause long lasting harmful effects to aquatic life.

Precautionary Statements:

Prevention:

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P273 Avoid release to the environment.
P281 Use personal protective equipment as required.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/ attention.
P391 Collect spillage.

Storage & Disposal:

P405 Store locked up.

Disposal:

P501 Dispose of contents/container in accordance with national regulations.

Pictograms:



SECTION 3**COMPOSITION/INFORMATION ON INGREDIENTS****Ingredients:**

CHEMICAL	CAS NUMBER	PROPORTION
Simazine	122-34-9	900 g/kg
Other ingredients determined not to be hazardous		Balance

SECTION 4**FIRST AID MEASURES****FIRST AID**

Ingestion: If swallowed do NOT induce vomiting. Wash mouth out with water. If poisoning occurs, contact a Doctor or Poisons Information Centre. Phone 131 126.

Eye contact: Gently brush granules away and rinse with water. If irritation occurs and persists, seek medical advice.

Skin contact: Gently brush granules away. Wash skin with soap and water. If irritation occurs and persists, seek medical advice. Irritation is not expected.

Inhalation: Remove to fresh air and observe until recovered. If effects persist, seek medical advice.

Advice to Doctor: Treat symptomatically. No specific antidote.

SECTION 5**FIRE FIGHTING MEASURES**

Specific Hazard: Generally considered a low risk.

Extinguishing media: Extinguish fire using carbon dioxide, foam or dry agent. If not available, use waterfog or fine water spray but ensure all runoff is contained. Contain all runoff.

Hazards from combustion products: Product will decompose when burnt and will emit toxic fumes. Fire-fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or smoke. There is no risk of explosion.

Precautions for fire-fighters and special protective equipment: Isolate fire area. Evacuate downwind residents. Wear full protective clothing and self contained breathing apparatus. Do not breathe smoke or vapours generated.

SECTION 6**ACCIDENTAL RELEASE MEASURES****Emergency Procedures / Material and methods for containment and cleanup procedures:**

Accidental release: In the event of a major spill, prevent spillage from entering drains or water courses. As a minimum, wear overalls, goggles and chemical resistant gloves. If there is a significant chance of that dust is likely to build up in the cleanup area, the use of a respirator is recommended.

In the case of spillage, stop leak if safe to do so. Contain spill and sweep up and shovel or collect recoverable material into labelled containers for use, recycling or dispose as waste as indicated in section 13 or according to the Australian Standard 2507 - Storage and Handling of Pesticides. This product is a herbicide and spills can damage crops, pastures and desirable vegetation. Prevent from entering drains, waterways or sewers. Use earthen bunds or absorbent bunding to prevent spreading of spillage.

After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. Keep out animals and unprotected persons. Keep out animals and unprotected persons. Thoroughly launder protective clothing before storage or re-use.

SECTION 7**HANDLING AND STORAGE**

Precautions for Safe Handling: No special protection equipment required. Keep exposure to this product at a minimum. After use and before eating, drinking and smoking, wash hands, arms and face thoroughly with soap and water.

SECTION 7 HANDLING AND STORAGE (Continued)

Conditions for Safe Storage: Not classified as a Dangerous Good. Store in the closed, original container in a well ventilated area away from children, animals, food, feedstuffs, seed and fertilisers. Do not store for prolonged periods in direct sunlight.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION**Exposure Guidelines:**

No exposure limits have been assigned by Safe Work Australia for the ingredients in this product.

Biological Limit Values:

No biological limit allocated.

Engineering controls:

Keep containers closed when not in use. No special engineering controls are required, however make sure that the work environment remains clean and that dusts, vapours and mists are minimised.

Personal Protective Equipment (PPE):

General: No special protective equipment required, however, standard hygiene should include gloves and the use of respirators if dust or sprays indicate use.

Personal Hygiene: After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. Clean water should be available for washing in case of eye or skin contamination. Wash skin before eating, drinking or smoking. Shower at the end of the workday.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Whitish coloured granule.
Odour:	Faint odour.
Boiling point:	No data available.
Solubility in Water:	Disperses in water.
pH:	No data available.
Flammability:	Not flammable.
Poisons Schedule:	Not classified as a scheduled poison.
Formulation type:	Water Dispersible Granule (WG).

SECTION 10 STABILITY AND REACTIVITY

Chemical Stability: Product is considered stable in ambient conditions for a period of at least 2 years after manufacture.

Conditions to avoid: Keep cool and dry until ready to use. Protect from sunlight.

Incompatible materials: Strong oxidizing agent such as chlorates, nitrates, peroxides etc.

Hazardous decomposition products: This product will decompose when burnt. Carbon dioxide, carbon monoxide, nitrogen and its compounds and oxides, smoke and in some circumstances hydrogen cyanide gas may be produced.

Hazardous reactions: Avoid contact of the concentrate with strong alkalis and alkaline materials such as lime. Polymerisation is unlikely.

SECTION 11 TOXICOLOGICAL INFORMATION

No specific data is available for this product as no toxicity tests have been conducted on this product. Information presented is our best judgement based on similar products and/or individual components. As with all products for which limited data is available, caution must be exercised through the use of protective equipment and handling procedures to minimise exposure.

Potential Health Effects:**ACUTE EFFECTS**

Swallowed: Slight to moderate toxicity. Acute Oral LD₅₀ > 2000 mg/kg (rats).

SECTION 11 TOXICOLOGICAL INFORMATION (Continued)

- Eye:** The granules can cause physical discomfort if in the eye causing irritation, stinging, reddening and watering of the eyes. Simazine is not irritating.
- Skin:** This product is non irritating and non sensitising to the skin. Acute dermal LD₅₀ > 2,000 mg/kg (rats) and > 10,000 mg/kg (rabbits).
- Inhaled:** As this is a granule and the acute oral toxicity was very low, no studies have been performed. Toxicity by inhalation is expected to be very low.

Long Term Exposure:

Prolonged and repeated exposure can occasionally cause skin irritation, conjunctivitis and bronchitis.

Chronic Toxicity: Other than an occasional transient skin eruption in a few rare cases, no chronic effects have been documented. There is a warning that regular exposure to simazine may result in irreversible effects.

Mutagenicity: The weight of evidence indicates that simazine does not present a mutagenic risk.

Carcinogenicity: Worksafe Australia has classified simazine in the occupational environment as a Carcinogen Category 3 substance. This means the *evidence of carcinogenicity is inadequate* in humans but sufficient in experimental animals, and may be placed in this category when there is strong evidence that the mechanism of carcinogenicity in experimental animals does not operate in humans.

SECTION 12 ECOLOGICAL INFORMATION

Environmental Toxicology: Simazine is practically non-toxic to birds. The reported LD₅₀ values in mallard and Japanese quail are > 4600 mg/kg and 1785 mg/kg, respectively. Similar high values are reported for other species. Simazine is slightly to practically non-toxic to most aquatic species. However, highly to very highly toxic to various species of algae. While many mammals may be insensitive to Simazine, sheep and cattle are especially sensitive. Simazine is non-toxic to bees. A soil LC₅₀ in earthworms of >1000 mg/kg has been reported.

Environmental Fate: Simazine is moderately persistent with an average field half-life of 60 days. Reported soil half-lives range from 28 to 149 days. Residual soil activity (at rates of 2 – 4 kg/ha) may remain for a year after application in high pH soils. Simazine is moderately to poorly bound to soils. It does, however, adsorb to clays and mucks. Its low water solubility, however, makes it less mobile, limiting its leaching potential. The average half-life of Simazine in ponds where it has been applied is 30 days, with the actual half-life dependent on the level of algae present, the degree of weed infestation, and other factors. Simazine may undergo hydrolysis at lower pH. It does not readily undergo hydrolysis in water at pH = 7. Plants absorb Simazine mainly through the roots, with little or no foliar penetration. From the roots, it is translocated upward to the stems, leaves, and growing shoots of the plant. It acts to inhibit photosynthesis. Resistant plants readily metabolize Simazine. Plants that are sensitive to Simazine accumulate it unchanged. It is possible that livestock or wildlife grazing on these plants could be poisoned.

SECTION 13 DISPOSAL CONSIDERATIONS

Spills and Disposal: Persons involved in cleanup require adequate skin protection - see section 8. Keep material out of streams and sewers. Dispose of drummed wastes, including decontamination solution in accordance with the requirements of Local or State Waste Management Authorities.

Disposal of empty containers: Shake empty bag into spray tank. Single rinse plastic bags before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals onsite. Puncture or shred and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and products should not be burnt.

SECTION 14 TRANSPORT INFORMATION

Road & Rail Transport: This product is not classified as a Dangerous Goods under the Australian Code for the Transport of Dangerous Goods by Road and Rail.

Marine and Air Transport: Product is not classified as a Dangerous Good according to International Maritime Dangerous Goods (IMDG) Code and the International Air Transport Association (IATA).

SECTION 15**REGULATORY INFORMATION**

Under the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP), this product is not a scheduled poison.

This product is registered under the Agricultural and Veterinary Chemicals Code Act 1994. Product Registration No. 65158.

This product is classified as a Hazardous Substance under the criteria of Safe Work Australia. Xn: harmful.

This product is not classified as a Dangerous Good according to the ADG Code (7th Ed).

This product is not classified as a Dangerous Good according to International Maritime Dangerous Goods (IMDG) Code and the International Air Transport Association (IATA).

Requirements concerning special training:

Check State or Territory regulations that require people who use pesticides in their job or business to have training in the application of the materials.

SECTION 16**OTHER INFORMATION**

Issue Date: 15 January 2016. Valid for 5 years till 15 January 2021 (5 year and GHS update).

Key to abbreviations and acronyms used in this SDS:

ADG Code: Australian Dangerous Goods Code (for the transport of dangerous goods by Road and Rail).

Carcinogen: An agent which is responsible for the formation of a cancer.

Genotoxic: Capable of causing damage to genetic material, such as DNA.

Mutagen: An agent capable of producing a mutation.

PPE: Personal protective equipment.

Teratogen: An agent capable of causing abnormalities in a developing foetus.

TWA: The Time Weighted Average airborne concentration over an eight-hour working day, for a five day working week over an entire working life.

Safe Work Australia: Formally known as Australian Safety & Compensation Council (ASCC) which was formally known as the National Occupational Health & Safety Commission (NOHSC).

References

1. "Search Hazardous Substances". Australian Safety and Compensation Council website. (2016).
2. "Approved Criteria for Classifying Hazardous Substances" 3rd Ed. NOHSC Australia. [NOHSC:1008 (2004)]. October 2004.

This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

End SDS